

SafeNet MobilePASS 8.4.3 for Windows Desktop by Gemalto

User Guide



THE
DATA
PROTECTION
COMPANY

Document Information

Product Version	SafeNet MobilePASS 8.4.3 for Windows Desktop by Gemalto
Document Part Number	007-013228-001 , Rev. A
Release Date	8 July 2015

Trademarks

All intellectual property is protected by copyright. All trademarks and product names used or referred to are the copyright of their respective owners. No part of this document may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, chemical, photocopy, recording, or otherwise, without the prior written permission of SafeNet, Inc.

Disclaimer

SafeNet makes no representations or warranties with respect to the contents of this document and specifically disclaims any implied warranties of merchantability or fitness for any particular purpose. Furthermore, SafeNet reserves the right to revise this publication and to make changes from time to time in the content hereof without the obligation upon SafeNet to notify any person or organization of any such revisions or changes.

We have attempted to make these documents complete, accurate, and useful, but we cannot guarantee them to be perfect. When we discover errors or omissions, or they are brought to our attention, we endeavor to correct them in succeeding releases of the product.

SafeNet invites constructive comments on the contents of this document. These comments, together with your personal and/or company details, should be sent to the address or email below.

Contact Method	Contact Information
Mail	SafeNet, Inc. 4690 Millennium Drive Belcamp, Maryland 21017, USA
Email	TechPubs@safenet-inc.com

Contents

CHAPTER 1 Overview	4
About SafeNet MobilePASS by Gemalto	4
Getting Started with SafeNet MobilePASS	4
Benefits of Using SafeNet MobilePASS	4
Protecting Your Security PIN	5
Unlocking a Locked Token	5
Token Logon Issues	5
CHAPTER 2 Installation	6
Installing SafeNet MobilePASS 8.4.3 for Windows Desktop	6
CHAPTER 3 Creating and Enrolling SafeNet MobilePASS	9
Enrollment Options	9
Automatic Enrollment (SAS).....	10
Token Assignment	10
Auto-Enrolling SafeNet MobilePASS by Copying and Pasting the Activation String Automatically	10
Auto-Enrolling SafeNet MobilePASS by Copying the Activation String Manually	13
Automatic Enrollment (SAM, SAMx, SPA)	16
Manual Enrollment (SAM, SAMx, SPA).....	19
CHAPTER 4 Creating and Changing the Token PIN	23
Creating a Token PIN.....	23
Changing a Token PIN	25
CHAPTER 5 Generating Passcodes	28
Generating a Passcode with Time-based Tokens	28
Generating Passcodes with Challenge-Response Tokens.....	29
CHAPTER 6 Deleting, Deactivating and Renaming a Token	30
Renaming a Token	30
Renaming a Token on Windows 8/8.1	31
Deleting a Token	33
Deactivating a Token	34
CHAPTER 7 Viewing Token Information	35
Viewing Token Information.....	35
CHAPTER 8 Security Features	37
Time-based Security Enhancement Scenario.....	37

About SafeNet MobilePASS by Gemalto

Password theft is the method used most frequently by thieves and hackers to steal identities and gain unauthorized access to computer networks. While they have many ways to steal a password, success depends on the stolen password being valid, in much the same way that credit card theft relies on the card being usable until you report it missing.

SafeNet MobilePASS prevents the stolen password being used to log on to the protected network, even if you and your company's security professionals are unaware that it has been stolen, because immediately after logging on, the generated one-time passcode (OTP) stops being valid. Any attempt to logon by reusing the OTP will fail, and will alert your network security professionals to the possibility that your identity has been stolen.

SafeNet MobilePASS allows secure remote access to corporate and web-based applications. As a SafeNet MobilePASS for Windows Desktop user, you can generate one-time passcodes (OTPs) on your computer and use those passcodes to authenticate to SafeNet-protected applications.

An integrated support feature allows your company's system administrator to manage SafeNet MobilePASS directly from an authentication management system.

Getting Started with SafeNet MobilePASS

You must complete the self-enrollment process before you can use your SafeNet MobilePASS token. Self-enrollment is the process of activating your token. You will receive a self-enrollment email from your company that contains a link to the SafeNet MobilePASS self-enrollment website, along with instructions for installing, enrolling, and activating your MobilePASS token.

If you have not received your self-enrollment email, contact your system administrator.

After installing MobilePASS on your computer, you can use the application to generate an OTP. You may be required to enter a PIN before generating the OTP.

Your token will be able to generate OTPs until it is revoked by your security administrator or deactivated after exceeding the permitted number of failed login attempts.

Benefits of Using SafeNet MobilePASS

SafeNet MobilePASS enables you to access corporate and web-based resources securely. It will also reduce or eliminate the need to remember or periodically change you logon passwords, as your token will do this for you.

Protecting Your Security PIN

If your SafeNet MobilePASS token is configured to use a PIN, protect it as you would the PIN for your credit card. Never share it with anyone. Your network security administrator and help desk will never ask for your PIN and you should never reveal it to them. Never write down your PIN.

If you forget your PIN, contact your company's help desk. They will verify your identity and reset your PIN.

Unlocking a Locked Token


A token is locked when there have been attempts to generate OTPs using an incorrect PIN. Contact your help desk to unlock a locked token.

Token Logon Issues


The most common cause of failed token logon is entering an incorrect OTP. Ensure that you enter the code exactly as displayed on the token, including any punctuation, uppercase and lowercase letters. Never attempt to reuse an OTP. Your account will automatically lock for a period if you exceed the allowed number of consecutive failed logon attempts. You must wait the required period before your account becomes active again. Contact your company's help desk to resolve logon issues.

Installing SafeNet MobilePASS 8.4.3 for Windows Desktop

1. Double-click **SafeNet MobilePASS.msi**. The SafeNet MobilePASS Installation Wizard opens.




2. Click **Next**. The **License Agreement** window opens.




3. Read the license agreement carefully, select **I accept the license agreement**, and click **Next**.

The **Destination Folder** window opens, displaying the path to the installation folder.



4. If necessary, click **Browse** to select a different destination folder, and then click **Next**. The **Ready to Install the Program** window opens.




5. To activate manual enrollment, select **Enable Manual Enrollment**. If not selected, you will be able to use automatic enrollment only.
6. If required, select **Enable Auto Detect Proxy** – the client will look for a proxy on the network, in addition to searching locally.




NOTE: The Manual Enrollment and Auto Detect Proxy setting can also be changed by running the Repair setup.

7. Click **Install**. The installation process starts.



On completion of the installation process, the **InstallShield Wizard Complete** window opens.



8. Click **Finish** to complete the process.

Creating and Enrolling SafeNet MobilePASS

Enrollment Options

After creating your SafeNet MobilePASS token, you are required to enroll your SafeNet MobilePASS token. The enrollment procedure varies according to which authentication management platform your company uses.

Automatic enrollment:

- Gemalto's SafeNet Authentication Service (SAS) Cloud - see Automatic Enrollment (SAS) on page 10
- Gemalto's SafeNet Authentication Service (SAS) PCE/SPE - see Automatic Enrollment (SAS) on page 10
- Gemalto's SafeNet Authentication Manager (SAM) - see Automatic Enrollment (SAM, SAMx, SPA) on page 16
- Gemalto's SafeWord Premier Access (SPA) - see Automatic Enrollment (SAM, SAMx, SPA) on page 16
- Gemalto's SafeNet Authentication Manager Express (SAMx) - see Automatic Enrollment (SAM, SAMx, SPA) on page 16


Manual enrollment:

- Gemalto's SafeNet Authentication Manager (SAM) - see Manual Enrollment (SAM, SAMx, SPA) on page 19
- Gemalto's SafeWord Premier Access (SPA) - see Manual Enrollment (SAM, SAMx, SPA) on page 19
- Gemalto's SafeNet Authentication Manager Express (SAMx) - see Manual Enrollment (SAM, SAMx, SPA) on page 19

Automatic Enrollment (SAS)

Token Assignment

Your system administrator will assign you a token and you will receive a self-enrollment notification email.




You can perform Automatic Enrollment using one of the following two methods:

- Automatically copy and paste the Activation String into the **Auto Enrollment** window by clicking the **Enroll your MobilePASS token** link on the notification email. See “Auto-Enrolling SafeNet MobilePASS by Copying and Pasting the Activation String” on page 10.
- Copy the Activation String manually. Use this option if you experience difficulties with the automatic copy and paste. See “Auto-Enrolling SafeNet MobilePASS by Copying the Activation String Manually” on page 13.

Auto-Enrolling SafeNet MobilePASS by Copying and Pasting the Activation String Automatically

To Enroll SafeNet MobilePASS by copying and pasting the activation string automatically:

1. Click the https:// link in the email. The Self-Enrollment page is displayed.




2. If you have not downloaded **SafeNet MobilePASS for Windows Desktop**, click the icon to download and install.
3. Click the **Enroll your MobilePASS** token link.



NOTE: The default token name is displayed in the **Create New Token** window, as it has not yet been enrolled. For the first token enrollment, the token name is derived from your SAS user name.


4. In the **Create New Token** window, enter a token name of more than four characters and click **Activate**.




5. If your token is PIN protected, the **Set a Token PIN** window appears. Enter the PIN and click **Continue**.




NOTE: The required number and type of characters required for the PIN depends on the configuration of your system.



6. Re-enter the PIN and click **Continue**.




Your Passcode is displayed on your SafeNet MobilePASS window.



Auto-Enrolling SafeNet MobilePASS by Copying the Activation String Manually

To auto-enroll SafeNet MobilePASS by copying the activation string manually:


1. Click the https:// link in the email.
2. The SafeNet Authentication Service – Self Enrollment page opens.




3. If you have not downloaded **SafeNet MobilePASS for Windows Desktop**, click the icon to download and install.
4. Copy the activation string



NOTE: Ensure that you select the entire string.

5. Run the SafeNet MobilePASS application.
6. On the Welcome screen click Add .
7. In the **Create New Token** window, enter a token name of more than four characters and click **Activate**.




8. If your token is PIN protected, the **Set a Token PIN** window appears. Enter the PIN and click **Continue**.




NOTE: The required number and type of characters required for the PIN depends on the configuration of your system.

9. On the Token Enrollment window, click **Auto Enrollment**.




10. On the **Auto Enrollment** window, the copied Activation String is automatically pasted into the **Enrollment String** field.




11. Click **Continue**.

12. If your token is PIN protected, the **Set a Token PIN** window is displayed. Enter the PIN in the **Token PIN** field, confirm and then click **Continue**.



NOTE: The required number and type of characters required for the PIN depends on the configuration of your system. The requirement could be between four and eight digits, and be either numeric or alphanumeric.


Your passcode is displayed in the SafeNet MobilePASS window.




Automatic Enrollment (SAM, SAMx, SPA)

To Enroll SafeNet MobilePASS automatically:


1. Open the SafeNet MobilePASS application.
2. On the **Welcome to MobilePASS** screen, click **Continue**.




3. In the **Create New Token** window, enter a token name of more than four characters and click **Activate**.



4. Click **Auto Enrollment**



5. Enter the URL of your authentication management system portal (SAS, SAMx, or SPA) and click **Continue**.



- In the **User ID** field, enter the username you use to log on to your authentication management platform (SAM, SAMx, SPA)
- In the **User Password** field, enter your enrollment password and click **Continue**.



NOTE: The enrollment password is provided by your system administrator via email or SMS message. It can be used only once.

MobilePASS Sarah

Auto Enrollment

User ID
sarah1

User Password

Continue Cancel

SafeNet THE DATA PROTECTION COMPANY

- If your token is PIN protected, enter PIN in the **OTP PIN** field, and then click **Continue**.

MobilePASS Sarah

List

Auto Enrollment

OTP PIN

Continue Cancel

OTP PIN should contain between 4 to 8 decimal or alphanumeric characters.


SafeNet THE DATA PROTECTION COMPANY

Your SafeNet MobilePASS token is enrolled.


Manual Enrollment (SAM, SAMx, SPA)

To enroll SafeNet MobilePASS manually:


1. Open the SafeNet MobilePASS application.
2. On the Welcome to MobilePASS screen, click Continue.



3. In the **Create New Token** window, enter a token name of more than four characters and click **Activate**.




4. In the **Token Enrollment** window, click **Manual Enrollment**.



5. In the **Management Enrollment** window, enter your **Token Policy String**.




NOTE: Obtain the Token Policy String form your SAM, SAMx or SPA portal.




6. If your token is PIN protected, the **Enter a Token PIN** window is displayed. Enter the PIN in the **Token PIN** field, and then click **Continue**.


The **Activation Code** is displayed.




7. Enter the **Activation Code** in the portal of your authentication management platform (SAM, SAMx, or SPA).
8. If required enter the Token PIN, click **Continue**.



9. Re-enter Token PIN and click **Continue**.



10. The **Your Passcode** window is displayed.



Creating and Changing the Token PIN

Creating a Token PIN



NOTE: The **Creating a Token PIN** option is available only if your SafeNet MobilePASS token has been configured for PIN protection.


SafeNet MobilePASS supports both simple numeric protection PINs and more complex, stronger alphanumeric protection PINs. The numeric keypad is the default keyboard option.

To create a token PIN:


1. On the **Set a Token PIN** window, enter a PIN in the **Token PIN** field, and then click **Continue**.



NOTE: The required number and type of characters required for the PIN depends on the configuration of your system. The requirement could be between four and eight digits, and be either numeric or alphanumeric.



2. Re-enter the PIN in the **Re-enter Token PIN** field, and then click **Continue**.





Changing a Token PIN



NOTE: The **Change Token PIN** option is available only if your SafeNet MobilePASS token has been configured for PIN protection.

To change the PIN:

1. Select the token name from the token list, and then enter your PIN to authenticate.
2. Click Change Token PIN 
3. On the **Change Token PIN** window, enter the PIN in the **Current Token PIN field**, and then click **Continue**.



NOTE: You are allowed only a certain number of failed attempts to enter the correct PIN (depending on how many permitted retries your administrator has defined). If you exceed the number of allowed retries, your token must be re-activated.

4. Enter the new token PIN.

MobilePASS

Back Sarah

Change Token PIN

New Token PIN

Continue Cancel

Token PIN should contain 4 decimal or alphanumeric characters.

SafeNet THE DATA PROTECTION COMPANY

5. Re-enter the PIN in the **Re-enter your new PIN** field, and then click **Continue**.

MobilePASS

Back Sarah


Change Token PIN

Re-enter your new PIN


Continue Cancel

SafeNet THE DATA PROTECTION COMPANY

6. Click **Continue** on the **Change Token PIN** window.



The **Your Password** window opens.




CHAPTER 5

Generating Passcodes

Generating a Passcode with Time-based Tokens


If you are using a time-based token, the OTP is automatically generated after the specified time interval has elapsed.



Generating Passcodes with Challenge-Response Tokens


To generate a passcode with a challenge-response token:

1. Enter the provided challenge code in the **Challenge Code** field.



2. Click **Generate Passcode**.

The passcode is displayed.





3. To generate another passcode, click **Next Challenge**, and then repeat this process.

Deleting, Deactivating and Renaming a Token


Renaming a Token

To change a token name:

1. Open MobilePASS, select the token name from the list, and if prompted, enter your PIN.
2. Click the **Change Token Name** icon 



3. Enter your new token name and then click **Continue**.




The change is confirmed.

Renaming a Token on Windows 8/8.1


If your token is on a USB 3.0 device and your environment is Windows 8, ensure that you have “Full control” permissions to write to the device before attempting to change the token name.

To grant “Full control” permissions:

1. In Windows Explorer, right-click the USB 3.0 drive, and select **Properties**.
2. On the **Security** tab, in the **Group or user names** box, select **Authenticated Users**.



3. Click **Edit**.
4. If prompted, enter the administrator credentials.
5. In the **Permissions for Authenticated Users** box, on the **Full control** row, select **Allow**.




6. Click **OK** to save the changes.

Deleting a Token


To delete a token:

1. Open MobilePASS, select the token name from the list, and if prompted, enter your PIN.

2. From the menu items, click the **Delete Token** icon 



3. Read the warning and then click **Delete**.



Deactivating a Token




NOTE: Before deactivating tokens, contact your administrator. Unless re-enrollment privileges are enabled, you cannot re-enroll your token until the administrator removes the token from your record.


To deactivate a token:

1. Open MobilePASS, select the token name from the list, and if prompted, enter your PIN.

2. From the menu items, click the **Deactivate Token** icon



3. Read the warning and then click **Deactivate**.





CHAPTER 7

Viewing Token Information


Viewing Token Information

To view application and token information:

1. Open MobilePASS, select the token name from the list, and if prompted, enter your PIN.
2. From the menu items, click the **Information** icon 



The information is displayed.



CHAPTER 8

Security Features

SafeNet MobilePASS provides time-hacking countermeasures to alert users to the possibility that their device has been compromised, and that OTPs have been generated that could be used in the future.

Time-based Security Enhancement Scenario

Your device was compromised, and the device's date and time were changed to a future date and time. The person who took the device generates several time-based OTPs (which will be used for authentication purposes without the SafeNet MobilePASS application), and then restores the device's time.


With the time-hacking countermeasures, SafeNet MobilePASS is able to detect that the device was tampered with, and alerts the user to the possibility of an attack.

To use the time-based security feature:


1. Open the SafeNet MobilePASS application, create a time-based token, and then generate an OTP.
2. Move the device's date and time forward, and then generate an OTP.
3. Restore the clock's date and time, and then generate another OTP.

A message is displayed indicating that an OTP could not be generated.


4. Click **No** to confirm that the displayed date and time are not correct.



5. You are prompted to change the clock back to the correct date and time. Click **OK**.



6. Security measures are taken and, if confirmed, your token will be locked. Click **OK** to confirm.



Your token is now locked.

